





NOTES:

1) PLASTIC PARTS – POLYPROPYLENE TERMINALS – NICKEL PLATED BRASS ACTUATOR CAP, FRAME AND SWITCH PLUNGER - GRAY IN COLOR SWITCH BODY - BLACK IN COLOR

2) .040 - 0.150 MOTION TO CHANGE STATE

3) ACTUATION FORCE AT .25 INCH DEPRESSION TO BE 4.90±1.0 LB

4) DATE CODE INDICATING YEAR, MONTH, AND DAY OF MONTH MANUFACTURED STAMPED ON HOUSING.

5) INTEGRITY OF WELD AND SWITCH FUNCTIONALITY TESTED AFTER ASSEMBLY.

6) DELTA RESPONSIBLE FOR COMPLIANCE TO THIS SPECIFICATION. THE FUNCTION AND ADEQUACY OF THE SAFETY "SYSTEM" IN WHICH THIS COMPONENT IS USED IS THE RESPONSIBILITY OF THOSE THAT DESIGN AND BUILD THE SYSTEM (INCLUDING BUT NOT LIMITED TO THE SEAT DESIGN, SWITCH LOCATION, FOAM DENSITY AND DESIGN).

7) THIS PRODUCT COVERED BY ONE OR MORE OF THE FOLLOWING U.S. PATENTS: 4,812,604; 4,795,865

8) PROPERLY INSTALLED SWITCH FRAME WILL SUPPORT A STATIC LOAD OF 350LBS AT 60°F

DELTA SYSTEMS, I ANY LIABILITY MISAPPLICATIO	ARISING (
	UNLESS O DIMENSIO TOLI
COMPUTER GENERATED DRAWING - NO MANUAL CHANGES ALLOWED	.××± .02×
	DO NOT